



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

Producer	PDA	Länge l [mm]	Breite b [mm]	Tiefe t [mm]	PALMCASE micro	PALMCASE mini	Armor I	Armor 1900
Acer	DX900	106	60,5	17	*	*	*	*
	n10	130	78	16,9			*	
	n20	150	83	15			*	
	n30	118	71	13		*	*	*
	n311	110	70	13,7		*	*	*
	n35	127	71	18		*	*	*
	n50 Medium	120	70	17,4		*	*	*
	n50 Premium / High	120	70	17		*	*	*
Asus	Galaxy7	115	59	14	*	*	*	*
	M530w	115	59	14	*	*	*	*
	M930	113	54	18,7	*		*	*
	MyPal 696	117	70,8	15,7		*	*	*
	MyPal A620	125	76,8	13,3			*	*
	MyPal A620/ BT	125	76,8	13,3			*	*
	MyPal A626 PDA;	125	76,8	13,3			*	*
	MyPal A632/ N	73	22	9	*	*	*	*
	MyPal A636	122	73	19		*	*	*
	MyPal A636N	122	73,2	18,8		*	*	*
	MyPal A639	122	73,5	20		*	*	*
	MyPal A686	117	70,8	15,7		*	*	*
	MyPal A716	135	78	17,6			*	*
	MyPal A730/ W	117,5	72,8	16,9		*	*	*
	P320	99	55	13	*	*	*	*
	P505	124	60	23			*	*
	P525	116,8	59	19		*	*	*
	P526	110	58	15,4	*	*	*	*
	P527	113	58	15,4	*	*	*	*
	P535	109	59	19	*	*	*	*
P550	121	71	17		*	*	*	
P552w	102	60,5	14,5	*	*	*	*	
P560	116	64	13	*	*	*	*	
P735	109	59	19	*	*	*	*	
P750	130	58	17,4		*	*	*	
Lamborghini ZX1	116	60	13	*	*	*	*	
BenQ	P51	122	60	20		*	*	*
Bluimedia	PDA	112,18	69,6	16,3		*	*	*
Dallab	DX8	113	50	22	*		*	*
Dell	Axim X30 Standard	117	77,2	14,9			*	*
	Axim X30 Wireless	122,4	77,2	14,9			*	*
	Axim X3i	117	77,2	14,8			*	*
	Axim X5 / Standard	128	81,5	18			*	*
	Axim X5 / Performance	128	81,5	18			*	*
	Axim X5 / Wireless	128	81,5	18			*	*
	Axim X50 / 51 Mid	120	73	17		*	*	*
	Axim X50 / 51 High	120	73	17		*	*	*
Axim X50 / 51 Low	120	73	17		*	*	*	
E-Plus	PDA III	125	72	19		*	*	*
	PDA4	127,7	81	21,6			*	*
	Pocket PDA	114	63	25			*	*
Eten	G500 plus	119	62	23			*	*
	DX900	106	61	18	*	*	*	*
	V900	106	60	17	*	*	*	*
	M500	111,7	60,7	22	*		*	*
	M550	111,7	60,7	22	*		*	*
	M600	112	61	22	*		*	*
	M600 plus	112	61	22	*		*	*
	M700	118	60	20		*	*	*
	M800	113,8	57,8	18,4	*	*	*	*
	M810	110	59	18	*	*	*	*
	V900	106	60	17	*	*	*	*
	X500	113	60	16	*	*	*	*
	X500 plus	113	60	16	*	*	*	*
	X600	107	58	14	*	*	*	*
	X610	107	58	15	*	*	*	*
	X650	107	58	15	*	*	*	*
X650	107	58	15	*	*	*	*	



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

	X800	113,5	60	15,8	•	•	•	•
	X900	106	61	17	•	•	•	•
Fujitsu-Siemens	PL 410	113,1	70,6	14,1		•	•	•
	PL 420	113,1	70,6	14,1		•	•	•
	PL 600	132	82	17			•	•
	PL 610 BT / WLAN	147,5	78	18,2			•	•
	PL 710	122	72	16,1		•	•	•
	PL 718	122	72	15,2		•	•	•
	PL 720	122	72	15,2		•	•	•
	PL C550	116	71	14		•	•	•
	PL N500 / 520 / 560	116	71	14		•	•	•
	T810	126	64	21			•	•
	T830	126	64	21			•	•
General Mobil	DSTL1	112	54	16	•	•	•	•
	DSTW1	117	61	18,1		•	•	•
Gigabyte	Gsmart i120	106,2	53	19,5	•	•	•	•
	Gsmart i128	106,6	53,2	19,8	•	•	•	•
	Gsmart i300	102,5	51	19	•	•	•	•
	Gsmart i350	110	54	18	•	•	•	•
	Gsmart MS802	117	60	15		•	•	•
	Gsmart MS804	115	56	18	•	•	•	•
	Gsmart MS808	116	60	14	•	•	•	•
	Gsmart MS820	116	59	14	•	•	•	•
	Gsmart MW702	117	60	15		•	•	•
	Gsmart MW998	111	56	19	•	•	•	•
	Gsmart T600	110,5	55,5	18,5	•	•	•	•
HP	IPAQ 100	116,7	68,9	13,6		•	•	•
	IPAQ 114	136	69	12			•	•
	IPAQ 200	126	76	16			•	•
	IPAQ 214	133,9	75,4	17,5			•	•
	IPAQ 600	117	60,3	17,5		•	•	•
	IPAQ 614/614c	117	60	18		•	•	•
	IPAQ 900	113	64	16	•	•	•	•
	IPAQ 914c	113	64	16	•	•	•	•
	IPAQ Data Manager	114	57	17,4	•	•	•	•
	IPAQ H1930	113,3	69,8	12,8		•	•	•
	IPAQ H1940	113,3	69,8	12,8		•	•	•
	IPAQ h2210	115,4	76,4	15,4			•	•
	IPAQ h4150	113,6	70,6	13,5		•	•	•
	IPAQ h4350	140	76,2	15,1			•	•
	IPAQ h5550	138	84	15,9			•	•
	IPAQ h6340	119	75	18,7			•	•
	IPAQ hw6510	118	71	21			•	•
	IPAQ hw6515	118	71	21			•	•
	IPAQ hw6910	118	71	21			•	•
	IPAQ hw6915	118	71	21			•	•
	iPAQ hx 2750	119,4	76,6	16,3			•	•
	IPAQ hx 2790	119,4	76,6	16,3			•	•
	IPAQ hx 4700	131	77	14,9			•	•
	IPAQ hx2110	119,4	76,6	16,3			•	•
	IPAQ hx2190	119,4	76,6	16,3			•	•
	IPAQ hx2410	119,4	76,6	16,3			•	•
	IPAQ hx2490	119,4	76,6	16,3			•	•
	IPAQ rw6815	102	58	19	•	•	•	•
	IPAQ rw6828	102	58	18,5	•	•	•	•
	IPAQ rx 1950	114	71	13		•	•	•
	IPAQ rx3715	114,3	71,2	16,3		•	•	•
	IPAQ rx4240	102	84	18			•	•
	IPAQ rx4540	102	64	18	•	•	•	•
	IPAQ rx5700	120	76	16			•	•
	IPAQ rx5900	120	76	16			•	•
	IPAQ rz1710	114	70	13,4		•	•	•
	IPAQ Voice Messenger	113,5	50	14,6	•	•	•	•
HTC	Advantage	133	98	16			•	•
	Alpine	130	70	18		•	•	•
	Artemis	108	58	16,8	•	•	•	•
	Blue Angel	125	72	19		•	•	•
	Breeze 100	112	46	15	•	•	•	•
	Excalibur	110	68	14	•	•	•	•
	Galaxy	110	59	18	•	•	•	•
	Herald P4350	109	59	17	•	•	•	•
	Himalaya	130	70	18		•	•	•
	Magic	113	55	13,65	•	•	•	•
	Magician	108	58	18	•	•	•	•



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

	Magician 2	108	58	18,2	*	*	*	*
	Muse	95	62	18	*	*	*	*
	P3300	108	58	16,8	*	*	*	*
	P3350 (HTC Love)	108	58	16,8	*	*	*	*
	P3470 (Pharos)	108	58	16	*	*	*	*
	P3600 (Trinity)	110	62	18	*	*	*	*
	P4350	109	59	17	*	*	*	*
	P6500 (Sedna)	137	73	21			*	*
	P6500 Sirius	106	51	19	*	*	*	*
	Prophet	102	58	18	*	*	*	*
	S620	11,5	62,5	12,8	*	*	*	*
	S710	101,5	50	18,6	*	*	*	*
	S730 (Wings/VOLANS)	105,8	51	19,4	*	*	*	*
	S740	116,3	43,4	16,6	*	*	*	*
	Tornado Noble	108	46	18	*	*	*	*
	Touch	102	51	11,35	*	*	*	*
	Touch G2	112	56	14	*	*	*	*
	Touch 3G	102	53,6	14,5	*	*	*	*
	Touch Cruise (P3650 / Polaris)	110	58	15,5	*	*	*	*
	Touch Diamond (P3700)	102	51	11,35	*	*	*	*
	Touch Diamond 2	102	51	11,35	*	*	*	*
	Touch Dual	107	55	15	*	*	*	*
	Touch HD	115	63	12	*	*	*	*
	Touch HD 2	120,5	67	11		*	*	*
	Touch Pro	102	51	18,05	*	*	*	*
	Touch Pro 2	116	59,2	17,25	*	*	*	*
	Touch Viva	105	59	16	*	*	*	*
	Trinity (P3600)	110	62	18	*	*	*	*
	TyTN	112,5	58	22	*	*	*	*
	TyTN II (HTC P4550 / Kaiser 120)	110	58	18	*	*	*	*
	S520 Snap	116	62	12	*	*	*	*
	Universal	127,7	81	21,6		*	*	*
	Wallaby	129	73	18		*	*	*
	Wizard 200	114	63	25		*	*	*
iPhone	iPhone	115	61	11,6	*	*	*	*
	3 Gs	116	63	12	*	*	*	*
	3G	115,5	62,1	12,3	*	*	*	*
JVC	MP-PV131	132	76	16		*	*	*
	MP-PV331	132	76	17		*	*	*
LG	Electronics KS20	99,8	58	12,8	*	*	*	*
	Electronics GM730	109,8	56,5	11,9	*	*	*	*
	Electronics KB770	108	54	13	*	*	*	*
	Electronics KC910	107,8	55,9	13,9	*	*	*	*
	Electronics KM900 Arena	105,9	55,3	11,95	*	*	*	*
	Electronics KP500	106,5	55,4	11,9	*	*	*	*
	Electronics KS20	99	58	12	*	*	*	*
	GM750	110	54	13	*	*	*	*
	PM80	118	73	16		*	*	*
Mitac Mio	168	113	70	16		*	*	*
	336 / BT	112	70	13		*	*	*
	336	112	70	13		*	*	*
	339	124	72	15		*	*	*
	558	124	72	15		*	*	*
	A201	119	71	18		*	*	*
	A501	95,7	59,6	20,7	*	*	*	*
	A700	107	57	18,8	*	*	*	*
	A701	117	59	21,8		*	*	*
	Digi Walker P360	71	115	18		*	*	*
	DigiWalker P560	115	72	18		*	*	*
	Leap G50	98	59	14	*	*	*	*
	P350	115	72	18		*	*	*
	P360	71	115	18		*	*	*
	P530	110	72	18		*	*	*
	P550	110	72	18		*	*	*
Motorola	Atila	109	60	14	*	*	*	*
Neo	Neonode N2	77	47	15	*	*	*	*
	808i	67	41	13	*	*	*	*
Nokia	5800 XpressMusic	103,8	44,7	9,9	*	*	*	*
	5530 XpressMusic	104	49	13	*	*	*	*
	E66	107	49	13	*	*	*	*
	E52	116	50	11	*	*	*	*
	E71	114	58	12	*	*	*	*
	E72	114	58	10	*	*	*	*
	E75	112	51	16	*	*	*	*



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

	6720 classic	110	45	14	•	•	•	•
	N900	111	60	20	•	•	•	•
	N86 8MP	104	52	19	•	•	•	•
	N79	110	49	15	•	•	•	•
	N9	115	53	15	•	•	•	•
	N95	99	54	21	•	•	•	•
	N96	103	55	18	•	•	•	•
	N97	117	56	18	•	•	•	•
Q2	XDA IQ	108	46	18	•	•	•	•
	XDA Atom	102	58	19	•	•	•	•
	XDA Atom Exec	102	58	18,5	•	•	•	•
	XDA Atom Pure	102	58	19	•	•	•	•
	XDA Comet	106	56	18	•	•	•	•
	XDA Cosmo	110	68	14	•	•	•	•
	XDA Diamond	102	51	11	•	•	•	•
	XDA Diamond Pro	102	51	18	•	•	•	•
	XDA Exec	127,7	81	21,6				
	XDA Flame	124	71	19				
	XDA Guide (baugleich mit HTC Touch Cruise)	130	69,9	19				
	XDA II				•	•	•	•
	XDA Ili	130	70	19				
	XDA Ili	125	72	19				
	XDA Mini	102	58	18	•	•	•	•
	XDA Mini S	114	63	25				
	XDA Neo	102	58	18	•	•	•	•
	XDA Nova	99,9	58	13,9	•	•	•	•
	XDA Orbit	108	58	16,3	•	•	•	•
	XDA Orbit2	110	58	15	•	•	•	•
	XDA Star	107	55	15	•	•	•	•
	XDA Stealth	110	53	22,5	•	•	•	•
	XDA Terra	109	59	17	•	•	•	•
	XDA Trion	112,5	58	22	•	•	•	•
	XDA Zinc	110	59	12	•	•	•	•
OpenMoko	FreeRunner GTA0	121	62	19				
Opticon	H 16A / B	127	60	28				
	H 19A	140,8	62,3	25,5				
Palm	Centro Smartphone	108	54	19	•	•	•	•
	Pre	100	60	17	•	•	•	•
	TX	121	78	15				
	Treo 500v	110	61	17	•	•	•	•
	Treo 680	112	58	21	•	•	•	•
	Treo 750v	111	58	22	•	•	•	•
	Treo 750w	111,8	58,4	22,9	•	•	•	•
	Treo 800W	112	58	19	•	•	•	•
	Treo Pro	113	60	14	•	•	•	•
	Treo Pro Smartphone	114	60	13,5	•	•	•	•
	One Lifedrive	121	73	19				
	One Tungsten	115	77	15				
	One Tungsten C	122	78	17				
	One Tungsten E	114	79	12				
	One Tungsten E2	114	78	15				
	One Tungsten T	102	75	15				
	One Tungsten T2	102	75	15				
	One Tungsten T3	108	76	16				
	One Tungsten T5	121	78	15				
	One Tungsten W	138	78	17				
	One Zire 21	112	74	16				
	One Zire 31	112	74	16				
	One Zire 71	114	74	17				
	One Zire 72	116	75	17				
Qtek	1010	129	73	18				
	2020 / i	130	70	18				
	8310	108	46	18	•	•	•	•
	8600	112	46	15	•	•	•	•
	9000	127,7	81	21,6				
	9090	125	72	19				
	9100	114	63	25				
	9600	112,5	58	22	•	•	•	•
	G100	110	59	18	•	•	•	•
	S100	108	58	18	•	•	•	•
	S110	108	58	18,2	•	•	•	•
	S200	102	58	18	•	•	•	•
	S300	95	62	18	•	•	•	•
RIM	Blackberry 7100v	112	55	18	•	•	•	•



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

	Blackberry 7130g	112	55	17	*	*	*	*
	Blackberry 7290	113	75	22			*	*
	Blackberry 7730	121	77	18			*	*
	Blackberry 8300 Curve	107	60	16	*	*	*	*
	Blackberry 8700g	110	70	20		*	*	*
	Blackberry 8707v	110	70	20		*	*	*
	Blackberry 8800	114	67	15	*	*	*	*
	Blackberry 8820	114	66	14	*	*	*	*
	Blackberry 8900 Curve	109	60	14	*	*	*	*
	Blackberry 9000 Bold	114	66	15	*	*	*	*
	Blackberry Pearl 8100 – 8120	107	50	15	*	*	*	*
	Storm 9500	112	62	14	*	*	*	*
Samsung	i7500 Galaxy	115	56	12	*	*	*	*
	i8000 Omnia 2	118	60	12		*	*	*
	i8910 HD	123	60	15		*	*	*
	i8910 OMNIA HD	123	58	12,9		*	*	*
	M7600 Beat	112	51	14	*	*	*	*
	M8800 Pixon	108	55	13,8	*	*	*	*
	M8910 Pixon 12	108	53	14	*	*	*	*
	Nexio	154	91	13,4		*	*	*
	S3500	100	48	15	*	*	*	*
	S5230	104	53	14	*	*	*	*
	S5600	103	55	13	*	*	*	*
	S8300 Ultra Touch	110	53	14	*	*	*	*
	SGH-i750	107	52	22	*	*	*	*
	SGH-C5212	113	49	14	*	*	*	*
	SGH-F490	115	54	12	*	*	*	*
	SGH-F500 Ultra Video	117	50	11		*	*	*
	SGH-F490	115	53,5	11,8	*	*	*	*
	SGH-i320n	111	59	11,5	*	*	*	*
	SGH-i620	95	59	17	*	*	*	*
	SGH-i740	107	59	14	*	*	*	*
	SGH-i780	116	62	15	*	*	*	*
	SGH-i900 Omnia	112	57	12	*	*	*	*
	SGH-i908 Omnia	112	60	13	*	*	*	*
	i7110 Pilot	118	53	15		*	*	*
	B7610 Omnia Pro	113	58	18	*	*	*	*
	i8510 Innov8	107	55	20		*	*	*
	SGH-M8800 Pixon	108	55	14	*	*	*	*
Sharp	WZERO - 3	103	70	26		*	*	*
	TM-100	100	50	20	*	*	*	*
Simvalley	Mobile XP-25	105	53	17	*	*	*	*
	Mobile XP-45	105	53	17	*	*	*	*
	Mobile XP-65	109	59	18	*	*	*	*
Socket	SoMo 650E	127	75	21		*	*	*
Sony Ericsson	Satio	112	55	13	*	*	*	*
	Xperia X1	110,5	52,6	17	*	*	*	*
	W950i	107	56	16	*	*	*	*
	W960i	109	55	16	*	*	*	*
	W980	92	46	17	*	*	*	*
	W995	97	49	17	*	*	*	*
T-Mobile	Ameo / 16 GB	133	98	16		*	*	*
	G1	118	56	17		*	*	*
	G2 Touch	112	56	15	*	*	*	*
	MDA	129	73	18		*	*	*
	MDA II	130	69,9	19		*	*	*
	MDA III	125	72	19		*	*	*
	MDA Basic	105	59	16	*	*	*	*
	MDA compact	108	58	18,2	*	*	*	*
	MDA compact II	108	58	18	*	*	*	*
	MDA compact III	108	58	16,8	*	*	*	*
	MDA Compact IV	101	52	11	*	*	*	*
	MDA Mail	110	68	14	*	*	*	*
	MDA Pro	127,7	81	21,6		*	*	*
	MDA Touch	109	59	17	*	*	*	*
	MDA Touch Plus	107	55	16	*	*	*	*
	MDA Vario	108	63	25		*	*	*
	MDA Vario II	107	58	23	*	*	*	*
	MDA Vario III	112	59	19	*	*	*	*
	MDA Vario IV	102	51	18	*	*	*	*
	MDA Vario V	116	60	18	*	*	*	*
	Pulse	135	63	14	*	*	*	*
	Variy Touch	93	53	16	*	*	*	*
Toshiba	G500	96	49	23	*	*	*	*



Compatible PDAs and Smartphones for Protective Cases • Februar 2010*

*No responsibility is taken for the correctness of this information!

	G810	110	58	14	•	•	•	•
	G900	119	61	21			•	
	G910	117	64	20		•	•	•
	G920	117	64	20		•	•	•
	Pocket PC e400	125	77	12			•	•
	Pocket PC e800 WiFi/BT	135	77	16,7			•	•
	Pocket PC e830 WiFi/BT	135	77	16,7			•	•
	Portégé G710	115	62	13	•	•	•	•
	Portégé G810	110	58	14	•	•	•	•
	TG01	129	70	9,9		•	•	•
Typhoon	MyGuide 3500 Go	138	72	26			•	
	MyGuide 3500 mobile	112,8	69,6	24,1			•	
	MyGuide 3500 TMC Edition / XL	113	70	16		•	•	•
	MyGuide 4500 SD	128	78	17			•	•
	MyGuide 5500	125	77	13			•	•
	MyGuide 7000 XL	121	72	17		•	•	•
	MyPhone M500	112	61	22	•		•	
Psion Teklogix	ikön	160	81	45				
Vodafone	VPA Compact	108	58	18,2	•	•	•	•
	VPA Compact II	109	58	24			•	
	VPA Compact III	112,5	58	22	•		•	
	VPA Compact IV	109	59	17	•	•	•	•
	VPA Compact V	112	59	18,5	•	•	•	•
	VPA Compact GPS	108	58	18	•	•	•	•
	VDA GPS	116	63	13	•	•	•	•
	VPA	130	69,9	19		•	•	•
	VPA III	125	72	19		•	•	•
	VPA IV	127,7	81	21,6			•	
	VPA Touch	99,9	58	13,9	•	•	•	•
Yakumo	Delta 300	112	69	16	•	•	•	•
	Delta 300 GPS	112	69	24			•	
	Delta 400	122	73	14		•	•	•
	Delta X 5 BT	116	72	18		•	•	•
	Ornikron	117	67	23			•	
	PDA alpha GPS	127	72	13		•	•	•
	PDA alphaX GPS	129	72	19		•	•	•
	PDA delta 300 GPS 2L	112	69	15	•	•	•	•
	PDA delta X GPS	123,5	76,5	25,4			•	